

#15 EXTRA PRACTICE FOR CHAPTER 2


1. Sketch a graph of a function, $f(x)$, with the following properties:

$f(3) = 6, f'(3) = 0, f'(8)$ is undefined,

$\lim_{x \rightarrow -\infty} f(x) = 0, \lim_{x \rightarrow \infty} f(x) = +\infty,$





$f''(x) > 0$ for $x < 1, x > 8,$

$f(x)$ is continuous and defined everywhere.



2. Each of the graphs below shows the position of a particle moving in a line as a function of time. During the indicated time interval, which particle has

- A) Constant velocity _____ B) Greatest initial velocity _____ C) Greatest average velocity _____
 D) Zero average velocity _____ E) Zero acceleration _____ F) Positive acceleration _____



3. Suppose $f(x)$ is increasing and concave up everywhere and $f(A) = 4$, $f'(A) = 2.2$, $h = 0.05$.

A. Estimate the values of $f(A-h)$ and $f(A+h)$.

B. Are your estimates from part A larger or smaller than the true function values? How do you know?

4. Consider the function $g(x) = \begin{cases} \ln x & x > 1 \\ 1.7^x - C & x \leq 1 \end{cases}$.

A. Determine the value of C so that this function is continuous at $x = 1$.

B. Now determine if this function is differentiable at $x = 1$. Prove it.

5. Let $p(h)$ be the pressure on a diver (in dynes per square cm) at a depth of h meters below the surface of the ocean. Determine what each of the quantities below represent in practical terms. Include units.

A. $p(100)$

B. $p(h+20)$

C. $p^{-1}(15)$

D. $p'(100)$

6. Let $f(t) = \frac{t^3 |4 - 2t|}{t^2 - 4}$. Find the following limits and determine what graphical features they represent.

Finally try to sketch an accurate graph of this function showing all its important characteristics.

A. $\lim_{t \rightarrow 2^+} f(t)$

B. $\lim_{t \rightarrow 2^-} f(t)$

C. $\lim_{t \rightarrow -2^+} f(t)$

D. $\lim_{t \rightarrow -2^-} f(t)$

