Determine all intercepts and asymptotes of the following rational functions.

1. $f(x) = \dfrac{2}{3x+5}$

2. $g(x) = \dfrac{6-x}{x+3}$

3. $h(x) = \dfrac{-6x}{2x^2-18}$

4. $m(x) = \dfrac{2x^2+8x+6}{3x}$

5. $R(x) = \dfrac{1}{x^2+1}$

6. $G(x) = \dfrac{2x^2-5x-3}{2x+5}$

Sketch a graph of the nonreduced rational functions.

7. $f(x) = \dfrac{x^3+2x^2}{2x+4}$

8. $F(x) = \dfrac{x^3+2x^2+x+2}{x^2-x-6}$

Determine the asymptotes of the following functions, and whether or not the graph crosses its non-vertical asymptote. There should be some work, and not simply a "yes" or "no".

9. $\dfrac{2x^2-3x-2}{x^2-3x-4}$

10. $\dfrac{2x^2-4x+5}{x^2-2x+1}$

11. $\dfrac{(x+1)(x-4)(x+2)}{(x-1)(x-3)}$

12. Suppose $R(x) = \frac{n(x)}{d(x)}$ is a rational function. Answer the following questions referring to this general rational function.

a) If $x = c$ is a vertical asymptote of $R(x)$, then _____$= 0$ at $x = c$.

b) If there is not a vertical asymptote then _____

c) If there is a horizontal asymptote, $y = 0$, then what can you say about the degrees of $n(x)$ and $d(x)$?

d) If there is a horizontal asymptote, $y = k$, then what can you say about the degrees of $n(x)$ and $d(x)$?

e) If there is a slant asymptote, then what can you say about the degrees of $n(x)$ and $d(x)$?

f) If there is a hole in the graph of $R(x)$ at $x = a$ then _____

13. Create an equation for each of the following scenarios:

a) A rational function (not a polynomial) with no vertical asymptotes.

b) A rational function with asymptotes $y = 0$, $x = 1$, and $x = -4$.

c) A rational function with asymptotes $y = -2$, $x = 2$, $x = -5$, and zeros at 1 and 3.

d) A rational function with asymptotes $y = \frac{1}{2}$, $x = 4$, $x = 9$ and zero at 1 only

14. Suppose $f(x)$ is a rational function with a horizontal asymptote of $y = 3$ and vertical asymptotes of $x = -2$ and $x = 5$.

a) What is the domain of $f(x)$?

b) What are the asymptotes of the function $f(x + 1)$?

c) What are the asymptotes of the function $f(x) - 1$?

15. Use the graphs of $f(x)$ and $g(x)$ given below to answer the following.



a) If we let $h(x) = \frac{f(x)}{g(x)}$, is $h(x)$ a rational function? Why?

b) What is/are the vertical asymptote(s) of $h(x)$?

c) What is/are the zero(s) of $h(x)$?

16. The velocity of a lightweight ball that has been dropped from a tall building increases rapidly at first, but then increases more slowly as a result of wind resistance. The velocity eventually approaches 120 feet per second. A graph of the situation is shown below.



a) If the velocity is 80 feet per second 3 seconds after the ball is released, determine a model of the form

$$v(t) = \frac{at}{t + b}$$

where a and b are constants.

b) Use the model to predict the velocity of the ball 6 seconds after it was released.

Determine the equation of each of the rational functions shown below.

17.



18.



19.



20.



21.



22.